

AccuCare 9.8N Release Notes

Enhancements and Bug Fixes - Summary

REMINDER: It is recommended that you are operating the AccuCare Web system on Internet Explorer 11 or Chrome. Some features in AccuCare are not supported in older browsers, therefore may not function properly.

- System Session Log feature will now display all non-active licenses that have expired but are still in use. This will allow administrators to reset licenses for both active and non-active licenses being used.
- Workflow enhancements were made to Client Diagnosis for adding, editing, deleting, or reporting on diagnosis.
- Minor fixes to Client Diagnosis checklist for DSM-5 when displaying search results
- Modified report name for Active Diagnosis Count
- Minor fix to display Payer List Abbreviation in Accounting Code Setup
- Workflow improvements made in Admission/Discharge on handling Diagnosis Codes when adding or editing Episode or Level of Care
- Improved the View Criteria Report feature in Multi-Dimensional Assessment Report to display Diagnosis Criteria

Your City, State, and Zip
Your Phone Number
<http://www.yourwebsite.com>
Admission Eligibility Report

Client Name: Sturgeon, Susie R. **Created By:** Christine Dean
Client Reference #: **Create Date:** 06/06/2017

Level of Care: 3.1 Clinically Managed Low Intensity Residential Services
Meets Admission Criteria: Yes

Acute Intoxication and Withdrawal

ADMISSION CRITERIA	CRITERIA RULE	SELECTED
After birth MAT patient needs supervision with infant	None	No
If medications are involved how will they affect parenting	None	No
No signs or symptoms of withdrawal	Required	Yes
No signs or symptoms of withdrawal or can be safely managed in a 3.1 setting	None	Yes
Not experiencing significant withdrawal or at minimal risk of severe withdrawal	None	Yes
Primary caregiver for a minor child and is undergoing acute intoxication or withdrawal or there is a risk of unborn child experiencing acute abstinence in utero	None	No

Criteria Rules: Number of conditional criteria necessary for eligibility: 0

RISK LEVEL	CRITERIA RULE	SELECTED
0 - None - No signs of withdrawal/intoxication present	Eligible	No
1 - Mild - Mild/moderate intoxication, interferes with daily functioning. Minimal risk of severe withdrawal. No danger to self/others.	Eligible	No
2 - Moderate - May have severe intoxication but responds to support. Moderate risk of severe withdrawal. No danger to self/others.	Eligible	Yes
3 - Severe - Severe intoxication with imminent risk of danger to self/others. Risk of severe manageable withdrawal.	Excluded	No
4 - Very Severe - Incapacitated. Severe signs and symptoms. Presents danger, i.e. seizures. Continued substance use poses an imminent threat to life.	Eligible	No
5 - Extreme - Very Extreme life threatening	Eligible	No

Biomedical Conditions

ADMISSION CRITERIA	CRITERIA RULE	SELECTED
A current biomedical condition is not severe enough to warrant inpatient treatment but will distract from treatment or recovery and requires medical monitoring.	None	No
Biomedical complications of the addictive disorder require medical	None	No

- Improved Diagnosis Summary Report and Active Diagnosis Summary report to display the Criteria that was used to select the Diagnosis from the DSM-5 Substance Use Criteria checklist.

Your Phone Number
<http://www.yourwebsite.com>

Diagnosis Summary
As of 10/09/2017

Client Name: Sturgeon, Susie R.
Client SSN: ***-**-**21
Client Reference #:

Code	Code Set	Description	Dx Dates	Diagnosed By	Inactive Date	Inactive By
F10.20	DSM-5 (ICD-10)	Alcohol use disorder, Severe	08/29/2017	Training T. Trainer	08/29/2017	N/A

DSM-5 Criteria:

- * Substance often taken in larger amounts or over a longer period than was intended.
- * A great deal of time is spent in activities necessary to obtain the substance, use the substance, or recovery from its effects.
- * Craving or a strong desire or urge to use the substance.
- * Recurrent substance use resulting in a failure to fulfill major role obligations at work, school, or home.
- * Continued substance use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the substance.
- * Important social, occupational or recreational activities are given up or reduced because of substance use.
- * Recurrent substance use in situations in which is physically hazardous.
- * Continued substance use despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by the substance.
- * Tolerance, as defined by either of the following: 1) A need for markedly increased amounts of the substance to achieve intoxication or desired effect. Or 2) A markedly diminished effect with continued use of the same amount of the substance.
- * Withdrawal, as manifested by either of the following: 1) The characteristic withdrawal syndrome for the substance. Or 2) Substance (or closely related substance) is taken to relieve or avoid withdrawal symptoms.

F10.24	DSM-5 (ICD-10)	Alcohol-induced depressive disorder, With moderate or severe use disorder	06/06/2017	Christine Dean	N/A	N/A
--------	----------------	---	------------	----------------	-----	-----

Your Phone Number
<http://www.yourwebsite.com>

Active Diagnosis Summary
As of 10/09/2017

Client Name: Sturgeon, Susie R.
Client SSN: ***-**-**21
Client Reference #:

Code	Code Set	Description	Dx Dates	Diagnosed By
F10.24	DSM-5 (ICD-10)	Alcohol-induced depressive disorder, With moderate or severe use disorder	06/06/2017	Christine Dean

DSM-5 Criteria:

- * Substance often taken in larger amounts or over a longer period than was intended.
- * There is a persistent desire or unsuccessful efforts to cut down or control substance use.
- * A great deal of time is spent in activities necessary to obtain the substance, use the substance, or recovery from its effects.
- * Craving or a strong desire or urge to use the substance.
- * Recurrent substance use resulting in a failure to fulfill major role obligations at work, school, or home.
- * Continued substance use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of the substance.
- * Tolerance, as defined by either of the following: 1) A need for markedly increased amounts of the substance to achieve intoxication or desired effect. Or 2) A markedly diminished effect with continued use of the same amount of the substance.

F11.20	DSM-5 (ICD-10)	Opioid use disorder, Moderate	06/07/2017	Training T. Trainer
--------	----------------	-------------------------------	------------	---------------------

DSM-5 Criteria:

- * Substance often taken in larger amounts or over a longer period than was intended.
- * A great deal of time is spent in activities necessary to obtain the substance, use the substance, or recovery from its effects.

- Minor fix to how the Criteria History displays when using the View History check box in Client Diagnosis
- Minor alignment fixes to client search box displays in Scheduler and Appointment Check-in
- Minor fixes to how assigned agency and user fields (Case Management tab in Client Intake) handle edit mode
- Overall maintenance to technical functions when running reports in AccuCare
- Minor fixes to text boxes that handle phone numbers and extensions to improve display

- Minor improvements to the Top Ribbon on handling icons and link paths
- Improved Multi-Dimensional Assessment Question and Answer Report to display the criteria checklist used for the Client Diagnosis
- Modified how the system handles users without permission to Add/Edit Referral Sources with a notification window
- Minor fixes to technical functions in Client Payer Plan and Client Payer Info
- Minor technical improvements to how the system handles City, State and Zip Code properties
- Workflow improvements in System Questionnaires when saving a new questionnaire and returning to the main screen
- Minor fixes in Referral Source Manager to display list properly when saving a new referral source

The screenshot shows the 'Referral Source Manager' interface. On the left, the 'Referral Source' form includes fields for Name (ABC Inpatient), Agency (ABC Health and Treatment Network), Contact (Gail Thomas), Address 1 (13232 Maple Street), Address 2, City (Santa Clara), State (CA), Zip (34334-___), Phone 1 ((454) 445-4544), Phone 2, Email (gthomas@abchealthandtx.com), and Website. On the right, the 'Referral Attributes' section shows a list of selected attributes: Services - Inpatient, Services - Residential, Services - Family Support, and Services - Detox. Below this is a table with columns for Attribute Category, Attribute Detail, and Remove All. The table lists attributes such as Language (Chinese, Spanish, Vietnamese) and Services (Detox, Family Support, Inpatient, Residential). At the bottom of the window are buttons for 'New', 'Edit', 'Save', 'Cancel', 'Delete', 'Setup Attributes', 'Print', and 'Close'.

- Minor fixes in Decision Support Setup when adding a new Sublevel or Level of Care to ensure values are displayed immediately after saving
- Minor fix to Referred By list in Multi-Dimensional Assessment > Demographics tab to ensure the drop down list is displaying all of the referral sources properly
- Added Diagnosis Manager to the MOTS system questionnaire
- Added additional Frequency options (Every other Month and Every 8 weeks) to Question 14 on the Multi-Dimensional Assessment
- Minor fixes in Scheduler when handling edit/delete functions with recurring appointments that are long-running series (over a year)
- Minor fixes on how the system handles levels of care when deleting questionnaires
- Minor fixes to Diagnosis Manager Grid to display the coding system of the Diagnosis Codes
- Workflow improvements to Diagnosis Manager when updating status (Active vs. Inactive)
- Minor fix to how System Options handles Dimension headings for Multi-Dimensional Assessment when editing/saving a record

- Improvements in workflow for MOTS questionnaire, by adding current active diagnosis when creating a new questionnaire
- Enhanced the visual presentation of the Determination grid in the Multi-Dimensional Assessment Q&A report

Level of Care	Acute Intoxi...	Biomedical C...	Emotional Be...	Readiness to...	Relapse Cont...	Recovery Liv...	Meets Admission Criteria?	View Criteria Report
1.0 Outpatient Services							NO	
2.1 Intensive Outpatient Services	✓	✓	✓	✓	✓	✓	YES	
3.1 Clinically Managed Low Intensity Residential Services	✓	✓		✓	✓		NO	

The level of care displayed below is based on the least intensive level of care that was selected in the Interviewer's area in each section.

Level of Care Determination

Selected Level of Care: 3.1 Clinically Managed Low Intensity Residential S...

Reason for Discrepancy: Court Ordered Level of Care [Add/Edit](#)

- Modified the Reason for Discrepancy list box to only be a drop down box (not a combo list and quick search box)
- Minor fix to how the Referral Source name is being displayed when over 40 characters
- Modified Add/Edit Level of Care (Episode) dialogue window to include any custom populations added (from Decision Support)

- Minor fix in Referral Record on handling values when adding/editing phone numbers
- Improvements made to the Admission Eligibility Report Determination Grid layout
- Overall security and maintenance patches to existing backend toolkits in AccuCare